

Anti-STK3 Rabbit pAb

Purified Rabbit Polyclonal Antibody

Catalog # P013177


Product Information

Application	WB, IHC-P/IF (Tissue-P), IP, ELISA
Reactivity	Human, Mouse, Rat
Dilution	WB 1:500~1:1,000; IHC-P 1:50~1:100; IP 1:20
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Label	Unconjugated
Immunogen	A synthesized peptide derived from human STK3
Format	Buffer System: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Purification: Affinity Chromatography
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-STK3 antibody is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Synonyms	STK3, Mess1, MST-2, MST2, Serine/threonine kinase 3, KRS1, STE20-like kinase MST2.
Calculated MW	Calculated MW: 56 kDa; Observed MW: 56 kDa
Uniprot ID	Q13188
Gene ID	6788
Background	Stress-activated, pro-apoptotic kinase which, following caspase-cleavage, enters the nucleus and induces chromatin condensation followed by internucleosomal DNA fragmentation. Key component of the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein STK3/MST2 and STK4/MST1, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ.

Validation Images



Western blot analysis of STK3 in HeLa lysates using STK3 antibody.



Immunohistochemistry analysis of paraffin-embedded Human kidney using STK3 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.