

Anti-TNFAIP3 Rabbit pAb

Purified Rabbit Polyclonal Antibody

Catalog # P012309


Product Information

Application	ICC/IF (Cell), FC, ELISA, IHC-P/IF (Tissue-P), WB
Reactivity	Human
Dilution	WB 1:500~1:1,000; IHC-P 1:50~1:100; IF 1:50~1:200; FC 1:50~1:100
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Label	Unconjugated
Immunogen	A synthesized peptide derived from human TNFAIP3
Format	Buffer System: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Purification: Affinity Chromatography
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-TNFAIP3 antibody is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Synonyms	TNFAIP3, OTUD7C, Tumor necrosis factor alpha-induced protein 3, TNF alpha-induced protein 3, OTU domain-containing protein 7C, Putative DNA-binding protein A20, Zinc finger protein A20.
Calculated MW	Calculated MW: 90 kDa; Observed MW: 82 kDa
Uniprot ID	P21580
Gene ID	7128
Background	TNFAIP3 is cytokine-inducible protein that functions to inhibit apoptosis and activate NF- κ B. Play a role in the function of the lymphoid system. Required for LPS-induced production of proinflammatory cytokines and IFN beta in LPS-tolerized macrophages.


Validation Images



Western blot analysis of TNFAIP3 in Jurkat treated with TNF + TPA lysates using TNFAIP3 antibody.



Immunohistochemistry analysis of paraffin-embedded Human liver cancer using TNFAIP3 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunofluorescence analysis of TNFAIP3 in HeLa using Histone H3 (di methyl K9) antibody.