

Anti-c-Rel Rabbit pAb

Purified Rabbit Polyclonal Antibody

Catalog # P011979


Product Information

Application	WB, IP, ELISA
Reactivity	Human
Dilution	WB 1:500~1:1,000; IP 1:20
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Label	Unconjugated
Immunogen	A synthesized peptide derived from human c-Rel
Format	Buffer System: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Purification: Affinity Chromatography
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-c-Rel antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Synonyms	REL.
Calculated MW	Calculated MW: 69 kDa; Observed MW: 69 kDa
Uniprot ID	Q04864
Gene ID	5966
Background	c-Rel contains an amino-terminal DNA-binding domain referred to as the REL homology domain (REH) and carboxy-terminal transactivation domains. The c-Rel protein is typically inhibited in unstimulated cells by I κ B α and I κ B β . c-Rel expression is highest in hematopoietic cells with extensive research studies demonstrating its role in immune cell function and pathogenesis of disease.

Validation Images



Western blot analysis of c-Rel in Daudi lysates using c-Rel antibody.