

Anti-LC3A Rabbit mAb

Purified Rabbit Monoclonal Antibody

Catalog # R010367


Product Information

Application	WB, IP, ELISA
Reactivity	Human, Mouse, Rat
Dilution	WB 1:500~1:1,000; IP 1:20
Host	Rabbit
Clonality	Monoclonal
Clone No.	18L98L12
Isotype	IgG
Label	Unconjugated
Immunogen	A synthetic peptide of human MAP1LC3A
Format	Buffer System: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA Purification: Affinity Purified.
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-LC3A antibody [18L98L12] is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Synonyms	Microtubule-associated proteins 1A/1B light chain 3A, Autophagy-related protein LC3 A, Autophagy-related ubiquitin-like modifier LC3 A, MAP1 light chain 3-like protein 1, MAP1A/MAP1B light chain 3 A, MAP1A/MAP1B LC3 A, Microtubule-associated protein 1 light chain 3 alpha.
Calculated MW	Calculated MW: 14 kDa; Observed MW: 14,16 kDa
Uniprot ID	Q9H492
Gene ID	84557
Background	Autophagy marker Light Chain 3 (LC3) was originally identified as a subunit of microtubule-associated proteins 1A and 1B (termed MAP1LC3), and subsequently found to contain similarity to the yeast protein Apg8/Aut7/Cvt5 critical for autophagy. Three human LC3 isoforms (LC3A, LC3B, and LC3C) undergo post-translational modifications during autophagy. Cleavage of LC3 at the carboxy terminus immediately following synthesis yields the cytosolic LC3-I form.

Validation Images



Western blot analysis of LC3A in rat brain lysates using LC3A antibody.



Western blot analysis of LC3A in A549, MCF-7, 293T, C2C12 lysates using LC3A antibody.