

Anti-MAP4K1/HPK1 Rabbit mAb

Purified Recombinant Rabbit Monoclonal Antibody


Catalog # R016059

Product Information

Application	WB, IHC-P/IF (Tissue-P), ELISA
Reactivity	Human
Dilution	WB 1:1,000~1:8,000; IHC-P 1:100~1:200; IF 1:100~1:200
Host	Rabbit
Clonality	Monoclonal
Clone No.	52R32J96
Isotype	IgG
Label	Unconjugated
Immunogen	A synthesized peptide derived from human MAP4K1
Format	Affinity purified monoclonal antibody supplied in PBS with 0.02% sodium azide and 50% glycerol, pH 7.3.
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-MAP4K1/HPK1 Rabbit mAb [52R32J96] is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Synonyms	HPK1; mHPK1; M4K1_HUMAN; MAP4K1; Hematopoietic progenitor kinase; MAPK/ERK kinase kinase kinase 1 (MEK kinase kinase 1 MEKKK 1); 2.7.11.1; M4K1_MOUSE; Hematopoietic progenitor kinase (HPK).
Calculated MW	Calculated MW: 97 kDa; Observed MW: 97 kDa
Uniprot ID	Q92918
Gene ID	11184
Background	Serine/threonine-protein kinase, which may play a role in the response to environmental stress. Appears to act upstream of the JUN N-terminal pathway. May play a role in hematopoietic lineage decisions and growth regulation. Able to autophosphorylate. [UniProt]
Tissue Location	Expressed primarily in hematopoietic organs, including bone marrow, spleen and thymus. Also expressed at very low levels in lung, kidney, mammary glands and small intestine.



Western Blot - Anti-MAP4K1/HPK1 Rabbit mAb [52R32J96]

All lanes: R016059 at 1:8,000 dilution

Lane 1: HeLa (Human cervix adenocarcinoma epithelial cell) whole cell lysates


Lysates/proteins at 10 µg per lane.

Secondary antibody: Goat Anti-Rabbit IgG (H+L), HRP Conjugated (Cat. No. LF102) at 1:5,000 dilution

Predicted band size: 97 kDa

Observed band size: 97 kDa

Developed using the ECL technique (Cat. No. SQ201).



Immunohistochemistry - Anti-MAP4K1/HPK1 Rabbit mAb [52R32J96]

Sample: Paraformaldehyde-fixed, paraffin embedded human hepatoma tissue

Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 30 mins.

Primary antibody: R016059 at 1:200 dilution


Secondary antibody: Goat Anti-Rabbit IgG (H+L), HRP conjugated at 1:1,000 dilution

DAB was used as the chromogen.

Counter stained with hematoxylin.

Positive/negative staining were presented.

Only the secondary antibody was used as the negative control.



Immunohistochemistry - Anti-MAP4K1/HPK1 Rabbit mAb [52R32J96]

Sample: Paraformaldehyde-fixed, paraffin embedded human colonic cancer tissue

Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 30 mins.

Primary antibody: R016059 at 1:200 dilution

Secondary antibody: Goat Anti-Rabbit IgG (H+L), HRP conjugated at 1:1,000 dilution

DAB was used as the chromogen.

Counter stained with hematoxylin.

Positive/negative staining were presented.

Only the secondary antibody was used as the negative control.