Anti-AP-2/TFAP2A Rabbit pAb

Purified Rabbit Polyclonal Antibody

Catalog # P100177


Product Information

Application	WB, ELISA
Reactivity	Human
Dilution	WB 1:500~1:1000
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Label	Unconjugated
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 120-200 of human Activator protein 2 (AP-2/TFAP2A) (NP_003211.1).
Format	Affinity purified polyclonal antibody supplied in PBS with 0.02% sodium azide and 50% glycerol, pH 7.3.
Storage	Shipped on wet ice. Store at -20°C. Stable for 24 months from date of receipt. Aliquoting is unnecessary for -20°C storage.
Precautions	Anti-AP-2/TFAP2A Rabbit pAb is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Synonyms	AP-2; BOFS; AP2TF; TFAP2; AP-2alpha; Activator protein 2.
Calculated MW	Calculated MW: 48 kDa; Observed MW: 50 kDa
Uniprot ID	P05549
Gene ID	7020
Background	The protein encoded by this gene is a transcription factor that binds the consensus sequence 5'-GCCNNNGGC-3'. The encoded protein functions as either a homodimer or as a heterodimer with similar family members. This protein activates the transcription of some genes while inhibiting the transcription of others. Defects in this gene are a cause of branchiooculofacial syndrome (BOFS). Three transcript variants encoding different isoforms have been found for this gene.

Validation Images



Western blot analysis of lysates from HeLa cells, using Activator protein 2 (AP-2/TFAP2A) Rabbit pAb (P100177) at 1:1,000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (LF102) at 1:10,000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Kit.
Exposure time: 180s.